

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO). F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/624,796		07/22/2003	Gregory M. Chapman	3635.4US (98-0029.04/US)	7459
24247	7590	02/04/2005		EXAMINER	
TRASK I			EDMONDSON, LYNNE RENEE		
P.O. BOX 2550 SALT LAKE CITY, UT 84110				ART UNIT PAPER NUMBER	
				1725	

DATE MAILED: 02/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Jh /					
	Application No.	Applicant(s)					
Office Action Summary	10/624,796	CHAPMAN ET AL.					
Office Action Summary	Examiner	Art Unit					
The MAN INC DATE of this communication	Lynne Edmondson	1725					
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address - Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
1) Responsive to communication(s) filed on 22 Ja							
·							
<i>'</i>	s action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims							
4) Claim(s) 1-4 is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-4</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9) The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>22 July 2003</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12)☐ The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) ☐ The translation of the foreign language provisional application has been received. 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 1/2.	5) Notice of Informa	rry (PTO-413) Paper No(s) I Patent Application (PTO-152)					

Art Unit: 1725

DETAILED ACTION

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

1. Claims 1-4 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-4 of U.S. Patent No. 6595406 B2. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims are essentially the same except for the addition of the phrase "used for bonding a wire to a portion of a semiconductor die and a portion of a lead frame..." in instant claim 1. The capillary structure is identical and as it is configured to provide clearance of the capillary tip from adjacent components resulting in a similar end product. There is no indication of a change in the process or resulting bond. The use of the tool does not further limit tool structure. Instant claim 3 adds lines for feeding the wire through the opening in the capillary and forming a wire bond on a lead frame which is not present in '406 claim 3 however it would be obvious that the wire would need to be fed through the hole to form the bond. Instant claim 4 adds a

line for severing the wire using the capillary which is not present in '406 claim 4 however it would be obvious to use this conventional method of disconnecting the wire.

It would have been obvious to one of ordinary skill in the art at the time of the invention that the structure is identical. As both structures are the same, the method would not change at all by calling the semiconductor device a lead frame. It is known in the art to use the capillary tip to sever the wire. The method steps are the same in both sets of claims.

2. Claims 3 and 4 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 4 and 5 of U.S. Patent No. 6439450 B1. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims are essentially the same except for the addition of lines in instant claim 3 that add lines for feeding the wire through the opening in the capillary and forming a wire bond on a lead frame which is not present in '450 claim 4 however it would be obvious that the wire would need to be fed through the hole to form the bond. Instant claim 4 adds a line for severing the wire using the capillary which is not present in '450 claim 5 however it would be obvious to use this conventional method of disconnecting the wire.

It would have been obvious to one of ordinary skill in the art at the time of the invention that the structure is identical. As both structures are the same, the method would not change at all by calling the semiconductor device a lead frame. It is known in

Application/Control Number: 10/624,796 Page 4

Art Unit: 1725

the art to use the capillary tip to sever the wire. The method steps are the same in both sets of claims.

Conclusion

- 3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Chapman et al. (USPN 6158647) and Chapman et al. (USPN 6311890 B1).
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lynne Edmondson whose telephone number is (571) 272-1172. The examiner can normally be reached on Monday through Thursday from 6:30 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Dunn can be reached on (571) 272-1171. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/624,796

Art Unit: 1725

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lynne Edmondson Primary Examiner Art Unit 1725

LRE

LYNNE R. EDMONDSON /